

# SAFETY DATA SHEET

## **Randolph Products Company**

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 1 of 12

---

### **1. Product and Company Identification**

---

Product Name : MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON  
Product Code : 22750F-10000-GL  
Recommended Use: Please refer to Product Information/Technical Data Sheet.

#### Company Identification:

Randolph Products Company  
33 Haynes Circle  
Chicopee, MA 01020

Information Phone: 413-592-4191  
Emergency Phone: ChemTel 800-255-3924

### **2. Hazards Identification**

---

#### EMERGENCY OVERVIEW

#### DANGER

Highly Flammable Liquid & Vapor, Category 2  
Acute Toxicity, Category 4  
Skin Irritation, Category 2  
Eye Irritation, Category 2B



#### Potential Health Effects

Eye:  
Causes eye irritation.  
Skin:  
Causes skin irritation.  
Ingestion:  
If swallowed, call a poison control center or physician if you feel unwell.  
Rinse mouth.  
Inhalation:  
May cause drowsiness or dizziness.

Chronic (Cancer) Information:

# SAFETY DATA SHEET

## *Randolph Products Company*

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 2 of 12

Contains FORMALDEHYDE, which is listed by the ACGIH as a substance suspected of carcinogenic potential for man, and by the NTP and IARC (vol. 29) as a carcinogen. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:  
INFORMATION NOT AVAILABLE.

Reproduction Information:  
INFORMATION NOT AVAILABLE.

Aggravation of Pre-Existing Conditions:  
Dermatitis or other skin conditions.

### **3. Composition/Information on Ingredients**

Component	CAS#	% by Wt.
METHYL NORMAL AMYL KETONE OSHA PEL 100 PPM - TWA OSHA VPEL 100 PPM -TWA ACGIH TLV 50 PPM - TWA ACGIH TLV 233 MG/M3 - TWA	110-43-0	16
METHYL ETHYL KETONE ACGIH: 200 PPM TWA OSHA: 200 PPM TWA	78-93-3	6
TERTIARY BUTYL ACETATE ACGIH: 200 PPM TWA OSHA: 200 PPM TWA	540-88-5	5
ACETONE ACGIH TLV: 500 PPM TWA ACGIH TLV: 750 PPM STEL OSHA PEL: 1000 PPM TWA OSHA VPEL: 750 PPM TWA OSHA VPEL: 1000 PPM STEL	67-64-1	4
ISOBUTANOL ACGIH: 50 PPM TWA OSHA: 50 PPM TWA	78-83-1	1

# SAFETY DATA SHEET

## **Randolph Products Company**

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 3 of 12

---

FORMALDEHYDE	50-00-0	.147
ACGIH: 0.3 PPM TWA		
OSHA: 0.75 PPM TWA		
OSHA: 2 PPM STEL		

### **4. First Aid Measures**

---

#### Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### Skin:

If on skin: wash with plenty of soap & water. If skin irritation occurs: Get Medical advice/attention.

Take off contaminated clothing and wash it before reuse.

#### Ingestion:

If swallowed: Immediately call a poison center/physician.  
Do NOT induce vomiting.

#### Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing.  
Call a poison control center/get medical attention if you feel unwell.

#### Note to Physicians:

INFORMATION NOT AVAILABLE.

### **5. Fire Fighting Measures**

---

#### Flammable Properties:

Flash Point: -4 F Method: TCC

#### Explosive Limits:

Lower explosive limit: 1.1  
Upper explosive limit: 12.8

#### Autoignition Temperature:

INFORMATION NOT AVAILABLE.

#### Hazardous Combustion Products:

INFORMATION NOT AVAILABLE.

#### Extinguishing Media:

Dry chemical, CO2, Halon, Foam

#### Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

# SAFETY DATA SHEET

## ***Randolph Products Company***

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 4 of 12

---

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a build up of internal pressure. Cool with water spray. Vapors are heavier than air and can travel some distance away and flash back.

Sensitivity to Static Discharge: Material may accumulate a static charge which could act as an ignition source.

Precautions should be taken when pouring to minimize splash/free fall.

### **6. Accidental Release Measures**

---

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions:

INFORMATION NOT AVAILABLE.

Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/state/federal regulations.

### **7. Handling and Storage**

---

Handling:

Keep away from heat, sparks, open flames, hot surfaces. NO SMOKING. Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/processing equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/eye protection/face protection.

Storage:

Prevent unauthorized access.

Store in a well ventilated place.

Keep container tightly closed.

Keep cool.

### **8. Exposure Controls/Personal Protection**

---

# SAFETY DATA SHEET

## **Randolph Products Company**

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 5 of 12

---

### Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

### Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

### Personal Protective Equipment

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be

worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance

with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

#### Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

#### Eye Protection:

Chemical safety goggles or glasses with side shields.

## **9. Physical and Chemical Properties**

---

Boiling Point: 133 F

Melting Point:

INFORMATION NOT AVAILABLE.

Freezing Point: n/a

Vapor Pressure:

2.14

77.50

34.00

185.0

31.00

Vapor Density:

HEAVIER THAN AIR

Solubility in Water:

# SAFETY DATA SHEET

## **Randolph Products Company**

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 6 of 12

---

NEGLIGIBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: 1.01

Coating VOC: 2.16 lb/gl

Material VOC: 1.93 lb/gl

Odor:

Mild solvent odor.

Appearance:

Liquid.

Partition Coefficient:

INFORMATION NOT AVAILABLE.

### **10. Stability and Reactivity**

---

Chemical Stability (Conditions to Avoid):

Stable under normal storage/use conditions.

Incompatibility:

Avoid strong oxidizing agents, acids and alkalies.

Hazardous Decomposition Products:

Smoke, soot and carbon dioxide, carbon monoxide.

Hazardous Polymerization:

Will not occur under normal conditions.

### **11. Toxicological Information**

---

Eye Irritation/Damage:

Component 67-64-1:

Mild eye irritation, Category 2b

Component 110-43-0:

Mild eye irritation, Category 2b

Component 540-88-5:

Based on available data, the classification criteria are not met.

Skin Irritation/Damage:

Component 67-64-1:

LD50: 7426 mg/kg, rat. Category 5

Mildly irritating to skin.

Component 110-43-0:

LD50: >2000 mg/kg, rat. Category 5

Component 540-88-5:

LD50: >2000 mg/kg, rabbit. Category 5.

# SAFETY DATA SHEET

## *Randolph Products Company*

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 7 of 12

---

### Acute Oral Toxicity:

Component 67-64-1:

LD50: 5800 mg/kg, rat. Category 5

Component 110-43-0:

LD50: 1670 mg/kg, rat. Category 4

Component 540-88-5:

LD50: 4,500 mg/kg, rat. Category 5

### Acute Inhalation Toxicity:

Component 67-64-1:

LC50: 16000 mg/l, rat. Category 4

Component 110-43-0:

LD50: >16.7 mg/kg, rat. Category 4

Component 540-88-5:

LC50: 12.52 mg/l, rat. Category 2

### RespiratorySkin Sensitization:

Component 67-64-1:

No evidence of respiratory or skin sensitization.

Component 110-43-0:

No evidence of respiratory or skin sensitization.

Component 540-88-5:

No evidence of respiratory or skin sensitization.

### Carcinogenicity:

Component 67-64-1:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH

Component 110-43-0:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

Component 540-88-5:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

### Reproductive Toxicity:

Component 67-64-1:

No evidence of human reproductive toxicity.

# SAFETY DATA SHEET

## ***Randolph Products Company***

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 8 of 12

---

Component 110-43-0:  
No evidence of human reproductive toxicity.

Component 540-88-5:  
No evidence of human reproductive toxicity.

Germ Cell Mutagenicity:  
Component 67-64-1:  
No data

Component 110-43-0:  
No data

Component 540-88-5:  
No data

Aspiration Toxicity:  
Component 67-64-1:  
Not classified as an Aspiration Hazard.

Component 110-43-0:  
Not classified as an Aspiration Hazard.

Component 540-88-5:  
Not classified as an Aspiration Hazard.

STOT-single exposure  
Component 67-64-1:  
No Data

Component 110-43-0:  
No data

Component 540-88-5:  
Transient target organ effects (Category 3);  
Respiratory tract irritation.

STOT-repeated exposure  
Component 67-64-1:  
No data



# SAFETY DATA SHEET

## *Randolph Products Company*

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 9 of 12

---

Component 110-43-0:  
No data

Component 540-88-5:  
No data

Routes of Exposure:  
Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.

### **12. Ecological Information**

---

Environmental Toxicity:

Component 67-64-1:  
LC50: 6100 mg/l (fish); EC50: 7630 mg/l (daphnia)

Component 110-43-0:  
LC50: 131 mg/l (fish); EC50: >90.1 mg/l (daphnia); EC50: 98.2 mg/l (algae);  
EC50: <10 mg/l (bacteria)

Component 540-88-5:  
Low toxicity: fish, daphnia; EC50: 16 mg/l (algae); EC50: 1.5 mg/l (bacteria)

Persistence & degradability:

Component 67-64-1:  
Readily biodegradable

Component 110-43-0:  
Readily biodegradable

Component 540-88-5:  
Inherently biodegradable

Bioaccumulative potential:

Component 67-64-1:  
Does not bioaccumulate

Component 110-43-0:  
No Data  
Component 540-88-5:  
Not expected to bioaccumulate

Mobility in soil:

# SAFETY DATA SHEET

## *Randolph Products Company*

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 10 of 12

---

Component 67-64-1:  
no data

Component 110-43-0:  
No data

Component 540-88-5:  
No data

Other Adverse Ecological Effects:

Component 540-88-5:  
Harmful to aquatic life.

### **13. Disposal Considerations**

---

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws. When a decision is made to discard this material as supplied, it meets RCRA's characteristic definition of ignitability. The toxicity characteristic (TC) has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP). Federal Regulations may apply to empty container. State and/or local regulations may be different.

Of the methods of disposal currently available, it is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) recycle or rework, if feasible; (2) incinerate at an authorized facility; or (3) treat at an acceptable waste treatment facility.

Be sure to contact the appropriate government environmental agencies if further guidance is required.

# SAFETY DATA SHEET

## **Randolph Products Company**

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 11 of 12

---

### **14. Transport Information**

---

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO)  
Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Paint

UN/NA ID No: UN1263

Hazard Class: Class 3 (IATA/49CFR)

Packing Group: II

Environmental Hazards:

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Components of this product do not appear on the list of Marine Pollutants (49CFR 172.101)

Special Precautions for User:

INFORMATION NOT AVAILABLE.

### **15. Regulatory Information**

---

U.S. Federal Regulations:

TSCA: All components of this material are on the  
US TSCA 8(b) Inventory or are exempt from listing.

OSHA:

This product is hazardous under OSHA's Hazard Communication Std. Not regarded  
as a health hazard under current  
legislation.

CERCLA: SARA Hazard Category:

INFORMATION NOT AVAILABLE.

Section 313:

"\*" Indicates toxic chemical(s) subject to the reporting requirements of  
section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

"+" Indicates a Clean Air Act Hazardous Air Pollutant (HAP).

Volatile Organic Compounds:

COATING VOC content is being expressed as mass of VOC per unit volume of  
coating less water and exempt solvents, where  
applicable.

MATERIAL VOC content is the actual weight of VOC per unit volume.

# SAFETY DATA SHEET

## ***Randolph Products Company***

MIL-PRF-22750G GLOSS CLEAR TYPE II CLASS H GR-A - GALLON

Date Printed: 6/11/2015

Page 12 of 12

---

### **16. Other Information**

---

MSDS Revision Date: 06/11/15

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 413-592-4191 ext 106

Manufacturer Disclaimer:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. These data relate only to the specific material designated herein and do not relate to use in combination with any other material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

End of Material Safety Data Sheet