

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 1 of 14

1. Product and Company Identification

Product Name : MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART
Product Code : 22750FCOMPB-QT
Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:

Randolph Products Company
33 Haynes Circle
Chicopee, MA 01020

Information Phone: 413-592-4191
Emergency Phone: ChemTel 800-255-3924

2. Hazards Identification

EMERGENCY OVERVIEW

HAZARD CLASSIFICATION:

FLAMMABLE LIQUID, CATEGORY 2
ACUTE TOXICITY (ORAL), CATEGORY 3
SKIN CORROSION/IRRITATION, CATEGORY 1
EYE DAMAGE/IRRITATION, CATEGORY 1
CORROSIVE TO METALS, CATEGORY 1

SIGNAL WORD:

DANGER



HAZARD STATEMENTS:

HIGHLY FLAMMABLE LIQUID AND VAPOR
HARMFUL IF SWALLOWED

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 2 of 14

CAUSES SKIN IRRITATION
CAUSES EYE IRRITATION
CAUSES SEVERE SKIN BURNS AND EYE DAMAGE
MAY BE CORROSIVE TO METALS

PRECAUTIONARY STATEMENTS:

Keep away from heat, sparks, open flame/hot surfaces.
No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting and other equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Store in a well ventilated place.
Keep cool.
Store locked up.
Do not breathe dusts or mists.
Wash hands thoroughly after handling.
Do not eat or drink while using this product.
If swallowed, immediately call a poison control center.
Rinse mouth.
Do NOT induce vomiting.
Wear protective gloves, protective clothing, eye/face protection.
If on skin, take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
If in eyes, rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: get medical attention.
If inhaled, remove person to fresh air and keep comfortable for breathing.
Keep in original container.
Absorb spillage to prevent material damage.
Store in corrosive resistant container.

Potential Health Effects

Eye:

Causes severe burns and permanent eye damage. May cause corneal opacity (clouding of eye surface). Can cause burning sensation, tearing and redness. Can cause eye irritation.

Skin:

Prolonged or repeated contact may dry the skin and lead to irritation (i.e. dermatitis). Causes severe burns and possibly permanent skin damage. Can cause redness, itching and burning sensation. Causes skin irritation.

Ingestion:

If swallowed, call a poison control center or physician if you feel unwell.
Rinse mouth.

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 3 of 14

Inhalation:

Causes burns to the eyes, nose and respiratory tract. Can cause dizziness, breathing difficulty, headaches & loss of coordination. Nausea, vomiting, and stomach upset can occur. Can cause wheezing, coughing, shortness of breath, and tightness in the chest. May cause drowsiness or dizziness.

Chronic (Cancer) Information:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:

INFORMATION NOT AVAILABLE.

Reproduction Information:

INFORMATION NOT AVAILABLE.

Aggravation of Pre-Existing Conditions:

Dermititis or other skin conditions.

3. Composition/Information on Ingredients

Component	CAS#	% by Wt.
POLYMER OF c-18 UNSAT'D FATTY ACID DIMERS W/TETA&TOFA	68082-29-1	37
1-METHOXY 2-PROPANOL	107-98-2	15
ACGIH: 100 PPM TWA		
OSHA: 100 PPM TWA		
ACGIH: 150 PPM STEL		
OSHA: 150 PPM CEILING		
BENZYL ALCOHOL	100-51-6	14
AIHA (WEEL): 10 PPM TWA		
ACETONE	67-64-1	12
ACGIH TLV: 500 PPM TWA		
ACGIH TLV: 750 PPM STEL		
OSHA PEL: 1000 PPM TWA		
OSHA VPEL: 750 PPM TWA		
OSHA VPEL: 1000 PPM STEL		
ISOPHORONEDIAMINE	2855-13-2	5

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 4 of 14

NONE ESTABLISHED		
TRIS-2,4,6-(DIMETHYLAMINOMETHYL) PHENOL	90-72-2	5
NONE ESTABLISHED, CORROSIVE		
METHYL ETHYL KETONE	78-93-3	3
ACGIH: 200 PPM TWA		
OSHA: 200 PPM TWA		
TRIETHYLENETETRAMINE	112-24-3	1
NONE ESTABLISHED		

4. First Aid Measures

Eyes:

Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. If easy to do, remove contact lenses. Get medical attention as soon as possible. Oils or ointments should not be used at this time. Do not attempt to neutralize with chemical agents. Continue the flushing for an additional 15 minutes if a physician is not immediately available. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Skin:

Immediately flush with plenty of water for at least 15 minutes. For large exposures use an emergency shower. Remove contaminated clothing and shoes. Get immediate medical attention. Professionally wash clothing before re-use. If on skin: wash with plenty of soap & water. If skin irritation occurs: Get Medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Ingestion:

If swallowed: Immediately call a poison center/physician.
Do NOT induce vomiting.

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center/get medical attention if you feel unwell.

Note to Physicians:

INFORMATION NOT AVAILABLE.

5. Fire Fighting Measures

Flammable Properties:

Flash Point: -4 F

Method: TCC

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 5 of 14

Explosive Limits:

Lower explosive limit: 2.0

Upper explosive limit: 13.8

Autoignition Temperature:

INFORMATION NOT AVAILABLE.

Hazardous Combustion Products:

Smoke, soot and carbon dioxide, carbon monoxide.

Extinguishing Media:

Dry chemical, CO₂, Halon, Foam

Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a build up of internal pressure. Cool with water spray. Vapors are heavier than air and can travel some distance away and flash back.

Sensitivity to Static Discharge: Material may accumulate a static charge which could act as an ignition source.

Precautions should be taken when pouring to minimize splash/free fall.

6. Accidental Release Measures

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions:

INFORMATION NOT AVAILABLE.

Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/state/federal regulations.

7. Handling and Storage

Handling:

Keep away from heat, sparks, open flames, hot surfaces. NO SMOKING. Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/processing equipment.

Use only non-sparking tools.

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 6 of 14

Take precautionary measures against static discharge.
Wear protective gloves/eye protection/face protection.

Storage:

Prevent unauthorized access.
Store in a well ventilated place.
Keep container tightly closed.
Keep cool.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

Personal Protective Equipment

Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

Eye Protection:

Chemical safety goggles or glasses with side shields.

9. Physical and Chemical Properties

Boiling Point: 133 F

Melting Point:

INFORMATION NOT AVAILABLE.

Freezing Point: n/a

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 7 of 14

Vapor Pressure:
Information not available for mixture

Vapor Density:
HEAVIER THAN AIR

Solubility in Water:
NEGLIGIBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: .949

Coating VOC: 3.03 lb/gl

Material VOC: 2.59 lb/gl

Odor:
Mild solvent odor.

Appearance:
Liquid.

Partition Coefficient:
INFORMATION NOT AVAILABLE.

10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):
Stable under normal storage/use conditions.

Incompatibility:
Avoid strong oxidizing agents, acids and alkalies.

Hazardous Decomposition Products:
INFORMATION NOT AVAILABLE.

Hazardous Polymerization:
Will not occur under normal conditions.

11. Toxicological Information

Eye Irritation/Damage:
Component 100-51-6:
May mildly irritate the eye.
Component 78-93-3:
Mild eye irritation, Category 2B
Component 67-64-1:
Mild eye irritation, Category 2b

Component 90-72-2:
Serious eye damage, Category 1

Skin Irritation/Damage:
Component 100-51-6:
LD50: 2,000 mg/kg, rabbit. Category 4.
Mild skin irritant.

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 8 of 14

Component 78-93-3:

Moderate skin irritation, Category 2

LD50: >5000 mg/kg, rabbit

Component 67-64-1:

LD50: 7426 mg/kg, rat. Category 5

Mildly irritating to skin.

Component 68082-29-1:

LD50: >2000 mg/kg

Moderate skin irritation, may cause sensitization by skin contact.

Component 90-72-2:

LD50: no data

Extremely corrosive to skin, Category 1A

Acute Oral Toxicity:

Component 100-51-6:

LD50: >4178 mg/kg, rat. Category 4.

Component 78-93-3:

LD50: 2300-3500 mg/kg, rat. Category 5

Component 67-64-1:

LD50: 5800 mg/kg, rat. Category 5

Component 68082-29-1:

LD50: >2000 mg/kg, rat. Not categorized.

Component 107-98-2:

LD50: 7200 mg/kg, rat. Category 5

Component 90-72-2:

LD50: 2169 mg/kg, rat. Not categorized.

Acute Inhalation Toxicity:

Component 78-93-3:

LD50: 11,700 mg/kg, rat. Category 5

Component 67-64-1:

LC50: 16000 mg/l, rat. Category 4

Component 90-72-2:

No data

Respiratory/Skin Sensitization:

Component 100-51-6:

No evidence of respiratory or skin sensitization.

Component 78-93-3:

No evidence of respiratory or skin sensitization.

Component 67-64-1:

No evidence of respiratory or skin sensitization.

Component 68082-29-1:

May cause skin sensitization and/or respiratory sensitization, RESULTING IN ALLERGIC RESPIRATORY REACTIONS INCLUDING WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 9 of 14

Component 90-72-2:

Caused skin sensitization in animal studies. May cause respiratory sensitization, resulting in allergic respiratory reactions including wheezing, shortness of breath and difficulty breathing.

Carcinogenicity:

Component 100-51-6::

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH

Component 78-93-3:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

Component 67-64-1:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH

Component 90-72-2:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH

Reproductive Toxicity:

Component 100-51-6::

No evidence of human reproductive toxicity.

Component 78-93-3:

No evidence of human reproductive toxicity.

Component 67-64-1:

No evidence of human reproductive toxicity.

Component 90-72-2:

No evidence of human reproductive toxicity.

Germ Cell Mutagenicity:

Component 100-51-6::

No data

Component 78-93-3:

No data

Component 67-64-1:

No data

Component 90-72-2:

No data

Aspiration Toxicity:

Component 78-93-3:

Not classified as an Aspiration Hazard.

Component 67-64-1:

Not classified as an Aspiration Hazard.

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 10 of 14

Component 107-98-2:
Not classified as an Aspiration Hazard.
Component 90-72-2:
Corrosive to respiratory tract.

STOT-single exposure
Component 100-51-6::
No data
Component 78-93-3:
No data
Component 67-64-1:
No Data

Component 107-98-2:
No data Component 90-72-2:
Respiratory tract irritation.

STOT-repeated exposure
Component 100-51-6:
No data
Component 78-93-3:
No data
Component 67-64-1:
No data

Component 107-98-2:
No data
Component 90-72-2:
Corrosive to respiratory system, severe digestive tract burns, severe skin burns
and eye damage, harmful if inhaled,
harmful if swallowed.

Routes of Exposure:
Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.

12. Ecological Information

Environmental Toxicity:
Component 100-51-6:
No data
Component 78-93-3:
LC50: 2993 mg/l (fish); EC50: 308 mg/l (daphnia); EC50: 2029 mg/l (algae)
Component 67-64-1:
LC50: 6100 mg/l (fish); EC50: 7630 mg/l (daphnia)

Component 90-72-2:
LC50: 175 mg/l (fish)

Persistence & degradability:
Component 100-51-6:

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 11 of 14

No Data

Component 78-93-3:

Readily biodegradable

Component 67-64-1:

Readily biodegradable

Component 90-72-2:

Not readily biodegradable

Bioaccumulative potential:

Component 100-51-6:

No Data

Component 78-93-3:

No Data

Component 67-64-1:

Does not bioaccumulate

Component 90-72-2:

No data

Mobility in soil:

Component 100-51-6:

No data

Component 78-93-3:

No data

Component 67-64-1:

no data

Component 90-72-2:

No data

Other Adverse Ecological Effects:

No information

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 12 of 14

Component 90-72-2:
Harmful to aquatic life

13. Disposal Considerations

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws. When a decision is made to discard this material as supplied, it meets RCRA's characteristic definitions of ignitability and corrosivity. The toxicity characteristic (TC) has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

Federal Regulations may apply to empty container. State and/or local regulations may be different.

Of the methods of disposal currently available, it is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) recycle or rework, if feasible; (2) incinerate at an authorized facility; or (3) treat at an acceptable waste treatment facility.

Be sure to contact the appropriate government environmental agencies if further guidance is required.

14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO) Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Paint Related Material

UN/NA ID No: UN1263

Hazard Class: Class 3 (IATA/49CFR)

Packing Group: II

Environmental Hazards:

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Components of this product do not appear on the list of Marine Pollutants (49CFR 172.101)

Special Precautions for User:

INFORMATION NOT AVAILABLE.

15. Regulatory Information

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 13 of 14

U.S. Federal Regulations:

TSCA: All components of this material are on the US TSCA 8(b) Inventory or are exempt from listing.

OSHA:

This product is hazardous under OSHA's Hazard Communication Std. Not regarded as a health hazard under current legislation.

CERCLA: SARA Hazard Category:

INFORMATION NOT AVAILABLE.

Section 313:

"*" Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

INFORMATION NOT AVAILABLE.

Volatile Organic Compounds:

COATING VOC content is being expressed as mass of VOC per unit volume of coating less water and exempt solvents, where applicable.

MATERIAL VOC content is the actual weight of VOC per unit volume.

16. Other Information

Date Revised: 06/19/18

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 413-592-4191 ext 106

Manufacturer Disclaimer:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be

SAFETY DATA SHEET

Randolph Products Company

MIL-PRF-22750G TY2 CL-H GR-A EPOXY CATALYST - QUART

Date Printed: 6/10/2019

Page 14 of 14

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. These data relate only to the specific material designated herein and do not relate to use in combination with any other material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

End of Material Safety Data Sheet