

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 1 of 13

1. Product and Company Identification

Product Name : MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Product Code : 530224B-QT

Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:

Randolph Products Company
33 Haynes Circle
Chicopee, MA 01020

Information Phone: 413-592-4191

Emergency Phone: ChemTel 800-255-3924

2. Hazards Identification

EMERGENCY OVERVIEW

HAZARD CLASSIFICATION:

FLAMMABLE LIQUID, CATEGORY 2

ACUTE TOXICITY (ORAL), CATEGORY 3

SKIN CORROSION/IRRITATION, CATEGORY 2

EYE DAMAGE/IRRITATION, CATEGORY 2A

SPECIFIC TARGET ORGAN TOXICITY-SINGLE EXPOSURE, CATEGORY 3 (CENTRAL NERVOUS SYSTEM)

SPECIFIC TARGET ORGAN TOXICITY-REPEATED EXPOSURE, CATEGORY 2

SKIN SENSITIZATION, CATEGORY 1

SIGNAL WORD:

DANGER



SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 2 of 13



HAZARD STATEMENTS:

HIGHLY FLAMMABLE LIQUID AND VAPOR

HARMFUL IF SWALLOWED

CAUSES SKIN IRRITATION

CAUSES SERIOUS EYE IRRITATION

MAY CAUSE DROWSINESS OR DIZZINESS

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE

MAY CAUSE AN ALLERGIC SKIN REACTION

PRECAUTIONARY STATEMENTS:

Keep away from heat, sparks, open flame/hot surfaces.

No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting and other equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Store/Use outdoors or in a well ventilated place.

Keep cool.

Store locked up.

Wash hands thoroughly after handling.

Do not eat or drink while using this product.

Do not breathe vapors.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If swallowed, immediately call a poison control center.

Rinse mouth.

Wear protective gloves, protective clothing, eye/face protection.

If on skin or hair: Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation occurs, seek medical advice.

Take off contaminated clothing and wash it before reuse.

If exposed or concerned, get medical advice or attention.

Call a poison center or doctor if you feel unwell.

If in eyes, rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: get medical attention.

In case of fire: Use dry chemical, CO₂, Halon or foam to extinguish.

Dispose of contents/container in accordance with all local, regional, national regulations.

Potential Health Effects

Eye:

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 3 of 13

Can cause eye irritation.

Skin:

Causes skin irritation.

Ingestion:

If swallowed, call a poison control center or physician if you feel unwell.

Rinse mouth.

Inhalation:

May cause drowsiness or dizziness.

Chronic (Cancer) Information:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:
INFORMATION NOT AVAILABLE.

Reproduction Information:
INFORMATION NOT AVAILABLE.

Aggravation of Pre-Existing Conditions:
Dermatitis or other skin conditions.

3. Composition/Information on Ingredients

Component	CAS#	% by Wt.
TERTIARY BUTYL ACETATE	540-88-5	18
ACGIH: 200 PPM TWA		
OSHA: 200 PPM TWA		
BENZYL ALCOHOL	100-51-6	10
AIHA (WEEL) 10 PPM TWA		
M-XYLENEDIAMINE	1477-55-0	10
OSHA OEL: 0.1 mg/m3 (CEILING); SKIN DESIGNATION		
ACGIH TLV: 0.1 mg/m3 (CEILING); SKIN DESIGNATION		
CAUSES SEVERE IRRITATION AND BURNS, POSSIBLE ALLERGIC REACTION		
NONYL PHENOL	84852-15-3	9
METHYL NORMAL AMYL KETONE	110-43-0	4
OSHA PEL 100 PPM - TWA		
OSHA VPEL 100 PPM -TWA		

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 4 of 13

ACGIH TLV 50 PPM - TWA
ACGIH TLV 233 MG/M3 - TWA

4. First Aid Measures

Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Skin:

If on skin: wash with plenty of soap & water. If skin irritation occurs: Get Medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Ingestion:

If swallowed: Immediately call a poison center/physician.
Do NOT induce vomiting.

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a poison control center/get medical attention if you feel unwell.

Note to Physicians:

INFORMATION NOT AVAILABLE.

5. Fire Fighting Measures

Flammable Properties:

Flash Point: 62 F Method: CC

Explosive Limits:

Lower explosive limit: 1.1

Upper explosive limit: 7.9

Autoignition Temperature:

INFORMATION NOT AVAILABLE.

Hazardous Combustion Products:

Smoke, soot and carbon dioxide, carbon monoxide.

Extinguishing Media:

Dry chemical, CO2, Halon, Foam

Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a build up of

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 5 of 13

internal pressure. Cool with water spray. Vapors are heavier than air and can travel some distance away and flash back.

Sensitivity to Static Discharge: Material may accumulate a static charge which could act as an ignition source.

Precautions should be taken when pouring to minimize splash/free fall.

6. Accidental Release Measures

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions:

INFORMATION NOT AVAILABLE.

Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/state/federal regulations.

7. Handling and Storage

Handling:

Keep away from heat, sparks, open flames, hot surfaces. NO SMOKING. Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/processing equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/eye protection/face protection.

Storage:

Prevent unauthorized access.

Store in a well ventilated place.

Keep container tightly closed.

Keep cool.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 6 of 13

Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

Personal Protective Equipment

Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be

worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance

with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

Eye Protection:

Chemical safety goggles or glasses with side shields.

9. Physical and Chemical Properties

Boiling Point: 208.4 F

Melting Point:

INFORMATION NOT AVAILABLE.

Freezing Point: n/a

Vapor Pressure:

Information not available for mixture

Vapor Density:

HEAVIER THAN AIR

Solubility in Water:

NEGLIGIBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: .984

Weight per Gallon: 8.191 lb/gal

Coating VOC: 1.54 lb/gal

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 7 of 13

Material VOC: 1.22 lb/gl

Odor:

Mild solvent odor.

Appearance:

Liquid.

Partition Coefficient:

INFORMATION NOT AVAILABLE.

10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):

Stable under normal storage/use conditions.

Incompatibility:

Avoid strong oxidizing agents, acids and alkalies.

Hazardous Decomposition Products:

INFORMATION NOT AVAILABLE.

Hazardous Polymerization:

Will not occur under normal conditions.

11. Toxicological Information

Eye Irritation/Damage:

Component 84852-15-3:

Serious eye damage, Category 1

Component 1477-55-0:

Serious eye damage, Category 1

Component 540-88-5:

Based on available data, the classification criteria are not met.

Skin Irritation/Damage:

Component 84852-15-3:

LD50: no data

Corrosive to skin, Category 1A

Component 1477-55-0:

LD50: no data

Corrosive to skin, Category 1A

Component 540-88-5:

LD50: >2000 mg/kg, rabbit. Category 5.

Acute Oral Toxicity:

Component 84852-15-3:

LD50: no data

Component 1477-55-0:

LD50: no data

Component 540-88-5:

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 8 of 13

LD50: 4,500 mg/kg, rat. Category 5

Acute Inhalation Toxicity:

Component 84852-15-3:

LC50: no data

Component 1477-55-0:

LC50: no data

Component 540-88-5:

LC50: >2.23 mg/l, rat. Category 3

Respiratory/Skin Sensitization:

Component 84852-15-3:

No evidence of respiratory or skin sensitization.

Component 1477-55-0:

May cause skin sensitization and/or respiratory sensitization, RESULTING IN ALLERGIC RESPIRATORY REACTIONS INCLUDING WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING.

Component 540-88-5:

No evidence of respiratory or skin sensitization.

Carcinogenicity:

Component 84852-15-3:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

Component 1477-55-0:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

Component 540-88-5:

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

Reproductive Toxicity:

Component 84852-15-3:

No data

Component 1477-55-0:

No data

Component 540-88-5:

No evidence of human reproductive toxicity.

Germ Cell Mutagenicity:

Component 84852-15-3:

No data

Component 1477-55-0:

No data

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 9 of 13

Component 540-88-5:

No data

Aspiration Toxicity:

Component 119X17:

Not classified as an Aspiration Hazard.

Component 1477-55-0:

Not classified as an Aspiration Hazard.

Component 540-88-5:

Not classified as an Aspiration Hazard.

STOT-single exposure

Component 84852-15-3:

No data

Component 1477-55-0

No data

Component 540-88-5:

Transient target organ effects (Category 3);

Respiratory tract irritation.

STOT-repeated exposure

Component 84852-15-3:

No data

Component 1477-55-0:

No data

Component 540-88-5:

No data

Routes of Exposure:

Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.

12. Ecological Information

Environmental Toxicity:

Component 84852-15-3:

No data

Component 1477-55-0:

No data

Component 540-88-5:

Low toxicity: fish, daphnia; EC50: 16 mg/l (algae); EC50: 1.5 mg/l (bacteria)

Persistence & degradability:

Component 84852-15-3:

No data

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 10 of 13

Component 1477-55-0:

No data

Component 540-88-5:

Inherently biodegradable

Bioaccumulative potential:

Component 84852-15-3:

No data.

Component 1477-55-0:

No data.

Component 540-88-5:

Not expected to bioaccumulate

Mobility in soil:

Component 84852-15-3:

No data

Component 1477-55-0:

No data

Component 540-88-5:

No data

Other Adverse Ecological Effects:

Component 84852-15-3:

Harmful to aquatic life with long lasting effects. DOT Marine Pollutant.

Component 540-88-5:

Harmful to aquatic life.

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 11 of 13

13. Disposal Considerations

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws. When a decision is made to discard this material as supplied, it meets RCRA's characteristic definition of ignitability. The toxicity characteristic (TC) has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP). Federal Regulations may apply to empty container. State and/or local regulations may be different.

Of the methods of disposal currently available, it is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) recycle or rework, if feasible; (2) incinerate at an authorized facility; or (3) treat at an acceptable waste treatment facility.

Be sure to contact the appropriate government environmental agencies if further guidance is required.

14. Transport Information

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO) Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Paint Related Material

UN/NA ID No: UN1263

Hazard Class: Class 3 (IATA/49CFR)

Packing Group: II

Environmental Hazards:

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Component 84852-15-3:

Appears on the US DOT list of Marine Pollutants (49CFR 172.101).

Special Precautions for User:

INFORMATION NOT AVAILABLE.

15. Regulatory Information

U.S. Federal Regulations:

TSCA: All components of this material are on the US TSCA 8(b) Inventory or are exempt from listing.

OSHA:

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 12 of 13

This product is hazardous under OSHA's Hazard Communication Std. Not regarded as a health hazard under current legislation.

CERCLA: SARA Hazard Category:
INFORMATION NOT AVAILABLE.

Section 313:

"*" Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

INFORMATION NOT AVAILABLE.

Volatile Organic Compounds:

COATING VOC content is being expressed as mass of VOC per unit volume of coating less water and exempt solvents, where applicable.

MATERIAL VOC content is the actual weight of VOC per unit volume.

16. Other Information

Date Revised: 03/01/21

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 413-592-4191 ext 106

Manufacturer Disclaimer:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No

SAFETY DATA SHEET

Randolph Products Company

MIL-DTL-53022F TYPE4 COMPONENT B - QUART

Date Printed: 3/1/2021

Page 13 of 13

representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. These data relate only to the specific material designated herein and do not relate to use in combination with any other material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

End of Material Safety Data Sheet